



Prokord U/FTP-0025

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ Supports 10 Gbit/s, enabling fast data transfers and backups
- ✓ 500 MHz bandwidth and U/FTP shielding reduce crosstalk
- ✓ LSZH jacket lowers toxic smoke in enclosed or public spaces
- ✓ Compact 0.3 m slim cable saves rack space for tidy patching
- ✓ PoE compatible, copper conductors provide reliable power delivery

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim LSZH RJ45 0.3m Blue gives you reliable 10 Gbit/s performance and PoE support in a compact, low-smoke cable. The slim, shielded construction reduces interference and fits neatly behind patch panels and network appliances. It is suited for short patching runs in data centres, comms cabinets, and office racks.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Blue in short:

- Cat 6A U/FTP shielded patch cable for 10 Gbit/s networks with reduced electromagnetic interference.
- Slim 0.3 m length, ideal for short patching between adjacent devices and tidy rack wiring.
- LSZH jacket for low smoke and halogen-free operation in enclosed or public spaces.
- Male RJ45 connectors with metal shielding and flexible 32 AWG copper conductors, compatible with Power over Ethernet.
- Note: 0.3 m is intended for local patch connections, not for longer in-wall runs.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Blue

This cable connects switches, patch panels, servers, and wall outlets where a short, high-performance link is needed. The U/FTP shielding around each pair helps limit crosstalk and maintains signal integrity in environments with adjacent cabling. The slim, flexible jacket and fine-gauge conductors make routing in dense panels easier, while the LSZH material reduces toxic smoke in case of fire. The product comes as a single unit ready for immediate use.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------