



Prokord U/FTP-0028

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ U/FTP Cat 6A shielding reduces crosstalk and EMI in dense networks
- ✓ Supports 10 Gbit/s at 500 MHz for fast, reliable high-bandwidth links
- ✓ PoE compatible, powers cameras, phones and access points without extra cabling
- ✓ Slim 2m length and 32 AWG copper make routing easier in tight racks
- ✓ Low smoke zero halogen jacket improves safety for enclosed installations

Product description

Why choose this Ethernet cable?

Prokord TP-Cable U/FTP CAT.6A Slim LSZH RJ45 2.0m Blue provides reliable 10 Gbit/s connectivity in short patch runs, with a slim profile that helps keep racks and cable trays tidy. It combines foil shielding and shielded connectors for stable signals, and a low smoke zero halogen jacket for safer use in enclosed or public spaces.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m Blue in short:

- Supports 10 Gbit/s Ethernet, suitable for high-speed links between switches, servers, and network devices.
- U/FTP shielding and shielded RJ45 connectors reduce crosstalk and external interference in dense installations.
- Slim LSZH jacket and 2 m length make it ideal for neat patching in racks, wall outlets, and short horizontal runs.
- Supports Power over Ethernet, so you can power cameras, access points, and VoIP phones over the same cable.
- Consider that the slim 32 AWG conductors are optimised for short patch runs rather than long backbone distances.

Product details

This Prokord cable uses copper conductors and shielded RJ45 plugs on both ends for consistent signal transfer and improved EMI resilience. The LSZH jacket limits toxic smoke and corrosive gases if a fire occurs, which is important in offices and public buildings. At 2 metres and in blue, it is simple to identify and position between network equipment. Each pack contains one cable.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------