



Prokord U/FTP-0029

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ U/FTP shielding reduces crosstalk, keeping 10G links stable
- ✓ 500MHz and 10,000Mbit/s rating supports demanding network traffic
- ✓ LSZH jacket limits smoke and toxic gases, safer for enclosed spaces
- ✓ 3m length suits patching and desk connections without excess cable
- ✓ PoE compatible, powers devices while carrying high speed data

Product description

Why choose this Ethernet cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Blue delivers reliable 10 Gbit/s connectivity with 500 MHz bandwidth, while its U/FTP shielding reduces crosstalk and external interference. The slim, 32 AWG copper construction fits high-density racks and tight cable routes. The LSZH jacket lowers smoke and toxic emissions, making it suitable for offices and public buildings where safety and neat installation matter.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Blue in short:

- Shielded U/FTP design for reduced interference in noisy environments.
- Supports 10 Gbit/s at up to 500 MHz, useful for high-speed links and backbone patching.
- Slim 32 AWG copper cable for flexible routing and tidy cable management.
- LSZH jacket for safer use in enclosed or public spaces.
- Male RJ-45 to male RJ-45, 3 m length, convenient for switch-to-wall or switch-to-patch-panel connections.

About this cable

This Prokord cable connects standard RJ-45 ports and carries data and PoE to access points, phones, and cameras. The metal-shielded connectors and screened pairs help maintain signal integrity across the 3 m run. The slim profile makes it easy to route through patch panels and cable trays without adding bulk, while the LSZH jacket supports safer installations in areas where reduced smoke and halogen-free materials are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------