



Prokord U/FTP-0030

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Cat6A U/FTP shielding reduces interference, ensures stable 10Gbps links
- ✓ 500MHz bandwidth supports high throughput for servers and switches
- ✓ LSZH jacket limits smoke and toxic gases, suitable for indoor use
- ✓ Slim 5m cable with flexible 32 AWG copper simplifies tidy cable runs
- ✓ Shielded RJ45 plugs and PoE support deliver reliable power and data

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Blue delivers 10 Gbit/s performance and 500 MHz bandwidth in a slim, low-smoke zero-halogen jacket. It offers shielded transmission that reduces interference in dense installations, and the flexible 32 AWG copper conductors simplify routing in patch panels and conduit. The cable also supports Power over Ethernet for connected devices.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Blue in short:

- High-speed 10 Gbit/s links with 500 MHz bandwidth, suitable for LAN backbones and server connections.
- U/FTP shielding and shielded RJ-45 connectors reduce crosstalk and electromagnetic interference.
- Slim LSZH jacket and 32 AWG copper for easier routing in racks, cable trays, and conduits.
- 5 m length and PoE support, useful for access points, VoIP phones, and short workstation or server runs.
- Supplied as a single cable, male-to-male RJ-45 connectors.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Blue

This shielded Cat 6A patch cable links switches, patch panels, and network devices while keeping signal integrity in crowded cable environments. The U/FTP construction and shielded RJ-45 plugs help limit interference, which matters in mixed cabling or near power sources. The slim LSZH jacket and fine 32 AWG copper conductors improve flexibility for tight bends and neat installations. The 5 m length and PoE compatibility make it practical for typical office and equipment-room connections.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------