

Prokord U/FTP-0033

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6A U/FTP shielding delivers 10Gbit/s at up to 500MHz
- ✓ Slim 32AWG copper core fits tight racks and keeps runs neat
- ✓ LSZH jacket reduces smoke and toxic gases in confined areas
- ✓ Shielded RJ45 plugs support PoE for powered devices
- ✓ Yellow 1m lead helps identify and manage patching quickly

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim LSZH RJ45 1.0m Yellow offers reliable 10 Gbit/s connectivity in short patch runs, with foil-shielded pairs that reduce crosstalk and external interference. The slim profile helps with dense cable routing and tight patch panels, while the low smoke zero halogen jacket improves safety in enclosed spaces.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Yellow in short:

- Foil-shielded U/FTP Cat6A design keeps signals stable in electrically noisy environments, such as server rooms.
- Slim, 32 AWG copper conductors make the cable flexible and easy to route in crowded racks and patch panels.
- LSZH jacket lowers smoke and toxic gas release, suitable for indoor, public, or enclosed installations.
- Supports 10 Gbit/s and 500 MHz bandwidth, and is compatible with PoE over standard RJ45 connections.
- Single 1 m length, check that this patch length fits your rack or desk layout before ordering.

How to use it

This male-to-male RJ45 patch cable connects switches, patch panels, routers, and PoE devices across short distances. The combination of shielding and copper conductors helps maintain signal integrity for high-speed LAN links. The yellow jacket improves visibility in cable bundles, making identification and maintenance faster.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow
Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s

AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------