



Prokord U/FTP-0036

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Cat6A U/FTP shielding delivers 10 Gbit/s at 500 MHz for stable links
- ✓ LSZH jacket reduces smoke and halogen for safer indoor installations
- ✓ 5 m length with male RJ45 ends enables quick plug-and-play connections
- ✓ Supports PoE to power IP phones, cameras and other network devices
- ✓ 32 AWG copper conductors and pair shielding improve signal integrity

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Yellow. This slim, shielded Cat6A patch cable supports 10 Gbit/s (10000 Mbit/s) at 500 MHz, giving reliable performance for high-speed links and PoE devices. The LSZH jacket reduces smoke and corrosive gases for safer installations. Its slim profile eases routing in congested racks and underfloor channels.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Yellow in short:

- Shielded Cat6A cable for 10 Gbit/s speeds and 500 MHz bandwidth, suited to high-density patching and short backbone links.
- U/FTP shielding reduces crosstalk in bundled runs, improving stability near other copper cabling.
- LSZH yellow jacket for safer indoor installations and fast visual identification in structured cabling.
- 5 m male-to-male RJ-45 with metal-shielded plugs, compatible with PoE equipment such as access points and VoIP phones.
- Thin, flexible 32 AWG copper conductors make routing easier in racks and under floors; sold as 1 piece per pack.

Product details

You can use the Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Yellow to connect switches, patch panels, PoE devices, and short links where space is limited. The metal-shielded RJ-45 plugs and copper conductors ensure a secure contact and good conductivity. U/FTP shielding and the 500 MHz rating help preserve signal integrity in crowded installations, while the LSZH jacket supports common building safety requirements.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------