

Prokord U/FTP-0039

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated for 10Gbps and 500MHz, supports high-speed networks
- ✓ U/FTP shielding reduces interference, improves signal reliability
- ✓ LSZH jacket limits smoke and halogen, safer for confined spaces
- ✓ PoE compatible, powers devices without separate power leads
- ✓ Purple 1m patch cable, ideal for neat colour-coded rack runs

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Purple. This slim Cat 6A patch cable delivers 10 000 Mbit/s performance and 500 MHz bandwidth for short links. U/FTP shielding reduces crosstalk and external interference, while the LSZH jacket lowers smoke and halogen in confined spaces, helping you keep dense racks and work areas safer and neater.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Purple in short:

- Slim 1 m length, ideal for patch panels, switch-to-switch links and tidy cable runs.
- Cat 6A performance supports 10 Gbit/s networking and high-bandwidth applications.
- U/FTP shielding helps maintain signal integrity in crowded installations.
- Low smoke zero halogen jacket reduces hazardous emissions in enclosed environments.
- Supports Power over Ethernet, suitable for access points, IP phones and other powered devices.

Product details

The Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Purple uses copper conductors with a thin 32 AWG profile for flexibility and a reduced cable diameter. Both ends terminate in RJ-45 male connectors for standard network ports. The cable’s slim construction makes routing between panels and behind equipment easier, and the combination of shielding and LSZH material makes it a practical choice for data centers, comms cabinets and office installations where space and safety matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Purple
Jacket material	LSZH

Conductor material	Copper
AWG wire size	32
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------