



Prokord U/FTP-0041

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Cat6A U/FTP shielding supports 10Gbps throughput at 500MHz
- ✓ Slim LSZH jacket lowers smoke and halogen release in a fire
- ✓ 3m flexible 32AWG copper core makes neat, easy patching
- ✓ Shielded RJ45 plugs support PoE, reduce interference for stable links

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Purpule provides a compact, shielded Cat6A connection ideal for short patching and crowded rack environments. The LSZH jacket reduces smoke and toxic gases for indoor use. It supports 10 Gbit/s and PoE, so you can connect switches, access points and other network devices reliably while keeping cabling neat.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Purpule in short:

- Slim Cat6A patch cable that supports 10 Gbit/s at 500 MHz, suitable for high-speed links over short runs.
- U/FTP shielding and metalized RJ45 plugs reduce crosstalk, useful in electrically noisy or dense installations.
- LSZH jacket in purple for low-smoke indoor applications and easy visual identification.
- 3 m length and 32 AWG copper conductors offer flexibility and tidy routing between patch panels, switches and devices.
- Consideration: 32 AWG is thinner than typical solid cable, so this cable is best for patching and short connections rather than long permanent in-wall runs.

Product details

This cable uses male RJ-45 connectors on each end to link standard network equipment. The U/FTP (screened) construction preserves signal integrity for 10 Gbit/s Ethernet and supports Power over Ethernet for powered devices. The slim, flexible 32 AWG copper conductors and molded boots make it easy to route in cabinets and conduits while the LSZH jacket improves safety in enclosed spaces. Pack contains one cable.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Purple

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------