



Prokord U/FTP-0043

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ Slim Cat6A U/FTP cable delivers 10 Gbit/s at 500 MHz
- ✓ 0.3m length keeps patch panels tidy, ideal for short links
- ✓ LSZH jacket limits smoke and halogen, safer in enclosed spaces
- ✓ U/FTP shielding with copper conductors reduces electromagnetic noise
- ✓ Supports PoE, power network devices without extra cabling

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Red. This short, slim Cat 6A patch cable supports 10 000 Mbit/s and 500 MHz for reliable high-speed links. Its U/FTP shielding reduces crosstalk in dense installations, while the LSZH jacket and compact length simplify rack cable management and use in areas with low-smoke requirements.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Red in short:

- Designed for short patch connections, ideal between switches, patch panels, and nearby network devices.
- Supports 10 Gbit/s throughput and 500 MHz bandwidth for demanding Ethernet traffic.
- U/FTP shielding helps maintain signal integrity in crowded or high-interference environments.
- LSZH jacket and slim AWG32 copper conductor keep runs neat and suitable for enclosed spaces.
- Red colour for easy identification; note that 0.3 m length is suited to close proximity connections only.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Red

This accessory provides a straightforward way to connect equipment over short distances. Both ends use male RJ45 connectors for standard patching, and the copper conductors with a slim AWG32 profile make the cable flexible for tight routing. The built-in support for Power over Ethernet allows you to power compatible devices while carrying data. Use the red jacket to separate circuits or identify specific network segments during installation.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------