



Prokord U/FTP-0048

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ 10 Gbps Cat6A performance, supports 500 MHz bandwidth
- ✓ Slim 5m cable eases routing in racks and tight spaces
- ✓ LSZH jacket reduces smoke and halogen risk in confined areas
- ✓ Standard RJ45 male connectors ensure simple plug and play
- ✓ PoE capable with copper 32 AWG conductors for reliable links

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Red delivers CAT6A performance in a slim, low-smoke zero-halogen jacket, making it practical for dense racks and office environments. It supports 10 Gbit/s links and PoE, and the flexible 32 AWG copper construction helps you route the cable cleanly while the red color simplifies identification.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Red in short:

- Slim, flexible 5 m patch cable for neat routing in patch panels and confined spaces.
- Supports up to 10 000 Mbit/s and 500 MHz for high-bandwidth connections and short-distance 10 Gbit/s links.
- LSZH jacket reduces hazardous fumes in case of fire, suitable for offices and comms rooms.
- RJ45 male to male connectors and PoE support make it easy to connect switches, access points, and IP phones.
- Consider that the 32 AWG conductor is optimized for short patch runs, not for long permanent in-wall installations.

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Red

This Prokord cable connects two RJ45 ports with a slim profile that fits tight cable ducts and crowded switch panels. The copper conductors and CAT6A specification deliver the bandwidth needed for uplinks and high-speed devices over a 5 m run. The LSZH jacket and bright red color help with safe installation and clear cable management. The pack contains one cable ready for immediate use.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------