



Prokord UTCH-2M

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-C
Connector 2	HDMI
Product colour	Black

Summary

- ✓ USB-C
- ✓ HDMI
- ✓ 3840 x 2160@30hz
- ✓ 1m

Product description

Why choose this USB-C to HDMI adapter?

Prokord USB-C To HDMI Adapter 4k 30Hz connects USB-C devices to HDMI displays, delivering up to 3840 x 2160 at 30Hz for clear, detailed images. The 2 m cable lets you place your device away from the screen, while straight male connectors ensure simple plug-and-play use. Choose it when you need reliable 4K output for presentations, spreadsheets, or video playback.

USB-C To HDMI Adapter 4k 30Hz in short:

- Delivers 4K resolution (3840 x 2160) at a 30Hz refresh rate for crisp visuals in meetings and multimedia.
- 2 m cable provides flexible device placement and tidier desk or meeting-room setups.
- Straight male USB-C to male HDMI connectors for direct connection to laptops, tablets, and displays.
- Black finish with visible Prokord branding and compact connector heads for a discreet, professional look.
- Note: 30Hz may not suit fast-paced gaming or high-frame-rate video.

Prokord USB-C To HDMI Adapter 4k 30Hz

This adapter provides a straightforward way to mirror or extend screens from USB-C enabled devices to HDMI displays. Simply plug the USB-C end into a compatible device that supports video output and connect the HDMI end to a monitor or TV. The 2 m cable and compact connectors make setup quick and reduce the need for extra converters, so you can focus on your presentation or content.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	USB-C
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
Supported graphics resolutions	3840 x 2160

Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	30 Hz
Supported video modes	2160p

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------