



Travel Port USB-C TotalUSB-C 3.2 Gen 1 (3.1 Gen 1)

Data sheet

Core Specs

Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
HDMI ports quantity	1

Summary

- ✓ Adds one HDMI output for presentations or a second display, and one RJ-45 Ethernet port for st...
- ✓ Two USB-A and two USB-C ports with USB 3.2 Gen 1 performance, suitable for external drives, dockin...
- ✓ Compact aluminium design in black and silver, made for portability and everyday handling.
- ✓ Integrated short USB-C lead keeps the hub close to your host device for tidy setups.
- ✓ Note: the 0.1 m attached cable limits reach, so check host port placement before purchase.

Product description

Why choose this dock?

Prokord Travel Port USB-C Total gives you a simple way to expand a laptop or tablet for travel and temporary workstations. It provides HDMI for an external screen, a wired Ethernet connection, and multiple USB ports for drives and peripherals, so you can set up reliable, productive workspaces without carrying several separate adapters.

Travel Port USB-C Total in short:

- Adds one HDMI output for presentations or a second display, and one RJ-45 Ethernet port for stable wired networking.
- Two USB-A and two USB-C ports with USB 3.2 Gen 1 performance, suitable for external drives, docking keyboards, and charging phones.
- Compact aluminium design in black and silver, made for portability and everyday handling.
- Integrated short USB-C lead keeps the hub close to your host device for tidy setups.
- Note: the 0.1 m attached cable limits reach, so check host port placement before purchase.

Travel Port USB-C Total

The Prokord Travel Port USB-C Total connects directly to a USB-C host to add common ports you need away from the office. Use the HDMI port to mirror or extend your display, the Ethernet port for reliable network access where Wi-Fi is weak, and the mixed USB-A and USB-C ports for storage, input devices, and mobile devices. The lightweight, two-tone housing is built for frequent packing and quick deployment, while the short integrated cable keeps the hub close to the host for a compact footprint.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Ports & interfaces

Host interface	USB-C 3.2 Gen 1 (3.1 Gen 1)
Connectivity technology	Docking
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
HDMI ports quantity	1
Microphone in	No

Performance

Product colour	Black, Silver
Card reader integrated	No
Brand compatibility	Universal

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes

Power

Power cable length	0.1 m
--------------------	--------------

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	-----------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------