



Prokord S/FTP-0015

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s at 500 MHz with 26 AWG copper for reliable links
- ✓ S/FTP shielding minimizes EMI for stable data transmission
- ✓ LSZH jacket reduces toxic smoke in fire sensitive areas
- ✓ PoE compatible, supports power and data over a single cable
- ✓ 2 m patch length keeps racks tidy and reduces cable clutter

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP CAT.6A Lszh RJ45 2m Grey gives reliable, high-speed links for short runs in racks and workspaces. It supports 10 Gbit/s with robust S/FTP shielding to reduce interference, and the LSZH jacket improves safety in confined environments. The cable's PoE compatibility and plug-and-play RJ45 connectors make it easy to deploy in professional network and AV installations.

Prokord TP-Cable S/FTP CAT.6A Lszh RJ45 2m Grey in short:

- Shielded S/FTP construction reduces crosstalk and external interference for stable connections.
- Rated for 10 Gbit/s and 500 MHz, suitable for switch-to-patch-panel and switch-to-device short links.
- LSZH jacket lowers smoke and hazardous gas release in case of fire, useful in offices and data centres.
- Compatible with Power over Ethernet, simplifying device powering and cabling.
- Note: 2 m length and indoor use only, not for outdoor or direct burial.

Practical use and compatibility

This Prokord cable is a Cat6A patch cable for short, high-speed connections between switches, patch panels, servers and endpoint devices. Copper conductors and 26 AWG wiring keep signal loss low over the 2 metre run, while the metal-shielded RJ45 plugs and S/FTP layering protect transmissions in electrically noisy environments. The cable is supplied as a single unit and is ready to use in standard PoE and Ethernet installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------