



Prokord F/UTP-0070

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ F/UTP shielding reduces interference, keeping data transfers stable
- ✓ Cat5e, 250MHz bandwidth, supports up to 10000Mbit/s throughput
- ✓ LSZH jacket limits toxic smoke, ideal for indoor installations
- ✓ Supports PoE, powers switches, cameras and other network devices
- ✓ 26 AWG copper core and robust RJ45 plugs ensure reliable links

Product description

Why choose this network cable?

Prokord FTP CAT.5E Shielded RJ45 Lszh 2m Grey delivers stable, high-speed links while reducing interference and limiting smoke emissions in indoor spaces. It combines Cat5e shielding, a low-smoke zero-halogen jacket, and PoE support to give you reliable short-range connections that are simple to install and safe for enclosed environments.

Prokord FTP CAT.5E Shielded RJ45 Lszh 2m Grey in short:

- Shielded Cat 5e cable, suitable for areas with electronic interference such as server racks and crowded cable runs.
- LSZH jacket and 26 AWG copper conductor for safer indoor use and consistent signal integrity.
- Supports Power over Ethernet, making it practical for IP phones, access points, and cameras.
- Compact 2 m length, ideal for desktop connections and short patch runs to keep cable management tidy.
- Consideration: not intended for outdoor or harsh environments and may not suit installations needing longer cable runs.

Product details

The Prokord FTP CAT.5E Shielded RJ45 Lszh 2m Grey uses F/UTP shielding and copper conductors to minimise crosstalk and protect data on short links. It supports data rates up to 10,000 Mbit/s at 250 MHz and works with standard RJ-45 ports, so you can power and connect PoE devices without extra adaptors. The low-smoke zero-halogen jacket makes it a practical choice where fire-safety and low-toxin emissions are priorities.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------