



Prokord F/UTP-0071

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Shielded F/UTP construction reduces EMI, keeps signals stable
- ✓ LSZH jacket limits toxic fumes, improves safety in enclosed spaces
- ✓ 3m length is ideal for short, tidy connections between devices
- ✓ Copper conductors and 250 MHz bandwidth support high data flow
- ✓ Supports PoE use, powers devices over the same network cable

Product description

Why choose this Ethernet cable?

Prokord FTP CAT.5E Shielded RJ45 Lszh 3m Grey gives you a reliable short-link solution with robust F/UTP shielding and an LSZH jacket, helping to reduce interference and limit hazardous emissions in enclosed spaces. It supports Power over Ethernet and high data rates, so you can connect switches, access points, and workstations with consistent performance and clear installation expectations.

Prokord FTP CAT.5E Shielded RJ45 Lszh 3m Grey in short:

- Shielded F/UTP construction reduces electromagnetic interference, useful near electrical equipment and cable bundles.
- Low smoke zero halogen jacket lowers toxic emissions, suitable for offices, data rooms, and public buildings.
- Supports Power over Ethernet, enabling connection and power delivery to IP phones, cameras, and wireless access points.
- 3 m length with male RJ-45 connectors, ideal for switch-to-patch-panel or workstation hookups.
- Fixed length and LSZH jacket mean the cable is best suited for indoor use.

Product details

Prokord FTP CAT.5E Shielded RJ45 Lszh 3m Grey uses copper conductors and F/UTP shielding to maintain stable signal quality at higher frequencies, while the LSZH jacket improves safety in confined or public spaces. The cable is fitted with RJ-45 male connectors at both ends for simple plug-and-play connections and supports high data transfer rates and PoE, making it practical for short, high-demand links in offices and technical rooms.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------