



Prokord F/UTP-0075

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Shielded F/UTP design reduces EMI for stable network links
- ✓ 10Gbps throughput and 250 MHz bandwidth handle heavy data loads
- ✓ LSZH jacket lowers smoke and toxic gases for safer indoor use
- ✓ 20m length gives flexible placement across rooms and racks
- ✓ Supports PoE, powers devices while simplifying cable runs

Product description

Why choose this cable?

Prokord FTP CAT.5E Shielded RJ45 Lszh 20m Grey gives you reliable, low-interference network links for office and equipment rooms. The shielded design improves signal stability in environments with electrical noise, while the LSZH jacket reduces hazardous fumes in case of fire. It supports PoE and long, consistent throughput to help you keep devices connected and maintenance needs low.

Prokord FTP CAT.5E Shielded RJ45 Lszh 20m Grey in short:

- Shielded Cat5e cable for reduced electromagnetic interference, useful near power equipment or dense cabling.
- RJ45 male-to-male connectors, ready for connecting switches, patch panels, access points, and PoE devices.
- LSZH jacket for safer indoor installations in offices and public buildings.
- 20 m length gives flexibility for wiring between racks and wall-mounted devices.
- Not recommended for outdoor use, and length is fixed at 20 m.

Product details

This FTP Cat5e cable uses copper conductors and 26 AWG wiring to balance flexibility and signal quality. The F/UTP shielding maintains connection integrity in electrically noisy environments, and the cable supports PoE so you can power compatible devices over the same run. Use it for patching between network equipment, linking security cameras or access points indoors, and where a low-smoke jacket is required for safety.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 5e
Cable shielding	F/UTP (FTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------