



Prokord UTP-0161

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6 10Gb performance at 250MHz, supports high-speed network links
- ✓ Flat 1m cable fits tight spaces and runs neatly under flooring
- ✓ LSZH jacket limits smoke and halogen, suitable for office and public spaces
- ✓ RJ45 male to male, 30AWG copper conductors, PoE ready for powered devices

Product description

Why choose this network cable?

Prokord UTP CAT.6 Unshielded RJ45 Lszh 1m White Flat provides reliable, high-speed links for short patching tasks. Its flat profile helps route the cable discreetly along skirting boards and behind furniture. The LSZH jacket reduces smoke and halogen in confined spaces, and the cable supports PoE so you can power compatible devices without extra power leads.

UTP CAT.6 Unshielded RJ45 Lszh 1m White Flat in short:

- Flat 1 m patch cable for neat routing under desks, along walls, or behind equipment.
- LSZH jacket reduces smoke and halogen, suitable for installations in meeting rooms and other confined spaces.
- Supports high-speed Ethernet up to 10 Gbit/s at 250 MHz, suitable for switches, patch panels, and PoE devices.
- Copper conductors and male-to-male RJ-45 plugs give reliable connectivity for short links.
- Consider that the unshielded U/UTP design is not intended for environments with strong electromagnetic interference.

Product details

Prokord UTP CAT.6 Unshielded RJ45 Lszh 1m White Flat is a one-metre patch cable with male RJ-45 connectors on both ends. The flat, flexible construction and AWG 30 copper conductors make it easy to install in tight spaces and under carpets. The LSZH jacket meets low-smoke requirements and the cable is sold as a single piece, ready for immediate use in local network and PoE applications.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Cable shape	Flat
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	30
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------