



Prokord UTP-0164

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Flat Cat6 cable fits under desks and along walls for neat routing
- ✓ LSZH jacket reduces smoke and halogen in case of fire
- ✓ Rated Cat6 at 250MHz, supports 10Gbit/s for high bandwidth apps
- ✓ PoE ready, power IP phones and access points without extra cabling
- ✓ RJ45 plugs and copper conductors ensure stable, low-loss links

Product description

Why choose this network cable?

Prokord UTP CAT.6 Unshielded RJ45 Lszh 5m White Flat delivers a reliable wired connection with up to 10 Gbit/s throughput and 250 MHz bandwidth. It combines a low-profile flat design for discrete routing with a LSZH jacket that reduces smoke and toxic emissions, making it practical for office and public-space installations.

Prokord UTP CAT.6 Unshielded RJ45 Lszh 5m White Flat in short:

- Cat 6 U/UTP cable, supports up to 10 Gbit/s and 250 MHz for high-speed data and multimedia traffic.
- Flat, white profile fits under skirting boards, along walls, and behind equipment for a tidy installation.
- Low smoke zero halogen jacket improves safety in confined or public areas.
- RJ45 male-to-male plug-and-play connectivity, PoE compatible for devices such as IP phones and access points.
- 30 AWG copper conductors offer flexibility for tight routing; supplied as a single 5 m cable.

Product details

This flat Cat 6 cable connects standard RJ45 ports and is intended for in-room and short to medium-length runs where a low-profile route is preferred. The LSZH jacket and copper conductors provide dependable signal transfer while reducing hazards from smoke and corrosive gases. The cable supports Power over Ethernet, so it can carry data and power to compatible devices without additional power wiring.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH
Cable shape	Flat

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	30
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------