

Prokord UTP-0169

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Flat profile routes easily under desks and along walls
- ✓ LSZH jacket reduces smoke and toxic fumes in confined spaces
- ✓ Cat 6 supports 10,000 Mbit/s bandwidth at 250 MHz
- ✓ PoE compatible powers cameras and phones without extra wiring
- ✓ 3m length fits common desk to switch connections

Product description

Why choose this network cable?

Prokord UTP CAT.6 Unshielded RJ45 Lszh 3m Gray Flat delivers reliable, short-run Ethernet connectivity with a slim, low-profile form. It supports high data rates while the LSZH jacket reduces smoke and halogen emissions in enclosed spaces. The flat design keeps installations neat and makes routing under carpets and along skirting boards easier.

UTP CAT.6 Unshielded RJ45 Lszh 3m Gray Flat in short:

- Cat 6 unshielded flat Ethernet cable for tidy, short-distance network links.
- LSZH jacket reduces smoke and halogen output in buildings and public spaces.
- Supports up to 10 Gbit/s and 250 MHz, suitable for fast LAN and PoE devices.
- Flat 3 m length is easy to route under flooring and along walls.
- Note: unshielded U/UTP design is not intended for environments with high electromagnetic interference.

Features and use

This Prokord cable has male RJ-45 connectors on both ends for plug-and-play connection to switches, routers, and network devices. Copper conductors with 30 AWG give a flexible, low-profile cable that is simple to tuck away in tight spaces. PoE compatibility lets you power cameras, phones, and other devices over the same cable. The grey color keeps connections discreet in office and home installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Cable shape	Flat

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	30
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------