



Prokord UTP-0171

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Cat6 bandwidth at 250MHz, supports up to 10Gbit/s for fast transfers
- ✓ Flat, low-profile cable routes neatly under carpets and along walls
- ✓ LSZH jacket limits smoke and halogen, safer for enclosed spaces
- ✓ 10m length, PoE ready with copper conductors and RJ45 male plugs

Product description

Why choose this network cable?

Prokord UTP CAT.6 Unshielded RJ45 Lszh 10m Gray Flat gives you a reliable 10 metre Cat 6 connection with up to 10 000 Mbit/s at 250 MHz. The flat design and LSZH jacket make routing and safety straightforward in offices and public spaces. It supports Power over Ethernet for devices like phones and access points.

UTP CAT.6 Unshielded RJ45 Lszh 10m Gray Flat in short:

- Cat 6 performance, suitable for 10 Gbit/s switch-to-switch and workstation connections at short to medium distances.
- Flat, grey cable profile fits under carpets and along skirting boards for tidy installations.
- LSZH jacket reduces smoke and halogen emissions, useful in enclosed or public environments.
- Unshielded copper conductors with male RJ45 connectors, supports Power over Ethernet for PoE devices.
- Note: 30 AWG conductors are thin and well suited for patching, not for permanent in-wall installations.

Product details

This Prokord cable connects two RJ45 ports with a flat 10 m U/UTP Cat 6 cable and copper conductors. The LSZH jacket helps meet safety requirements where low smoke is preferred. Its simple, low-profile design makes it practical for desktop, rack and short data runs, and it supports PoE so you can power compatible devices over the same cable.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Cable shape	Flat

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	30
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------