

Prokord DPC-1B

Data sheet

Core Specs

Cable length	1 m
Connector 1	CEE7/16
Connector 2	C7
Product colour	Black

Summary

- ✓ Secure straight CEE7/16 to C7 connectors ensure stable low-voltage power
- ✓ 1m length keeps cables tidy in compact workstations and setups
- ✓ Black finish blends into office and technical settings for discreet routing
- ✓ Straight connector design reduces accidental disconnection and wear

Product description

Why choose this power cable?

Prokord Cable Power 2-Pin - Straight 1m Black gives a reliable and space-efficient way to power small electronics. Its straight CEE7/16 male and straight C7 female connectors provide stable contact for low-voltage equipment. The 1m length helps reduce cable clutter and makes it easier to place devices close to power outlets, lowering maintenance and replacement effort.

Prokord Cable Power 2-Pin - Straight 1m Black in short:

- Secure connection for devices with a C7 inlet, using a straight CEE7/16 plug.
- 1m length is suited to desktops, monitors, chargers, and compact AV setups.
- Straight connectors keep the cable aligned and reduce strain in tight spaces.
- Black finish blends into office and technical environments.
- Consideration: not intended for outdoor or heavy industrial use, and length may limit flexibility in larger installations.

Product details

This Prokord cable links equipment with a figure-8 (C7) inlet to a standard CEE7/16 mains socket. The straight male and female connectors make it easy to plug and unplug while maintaining a secure fit. The cable is practical for office workstations, meeting-room AV gear, and service carts where a short, tidy power lead is preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	CEE7/16
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	C7
Connector 2 gender	Female
Connector 2 form factor	Straight
Product colour	Black

Packaging data

Quantity per pack

1 pc(s)

Logistics data

Harmonized System (HS) code

84733080