



Prokord DP1.4-DP1.4 0053

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Product colour	Black
DisplayPort version	1.4

Summary

- ✓ DisplayPort 1.4 support, delivers up to 7680x4320 at 30Hz
- ✓ HBR3 and HDR support for richer colour and smoother motion
- ✓ MST and HDCP support for daisy chaining and protected playback
- ✓ Gold plated contacts with foil and braid shielding for reliable signal
- ✓ 1m black cable, TPE jacket with LSZH and tinned copper cores

Product description

Why choose this cable?

Prokord Cable Displayport 1.4 - Displayport 1.0m Black gives you a compact, reliable link for high-resolution displays. It supports DisplayPort 1.4 features such as HBR3, HDR and MST, so you can run high-resolution or multi-display setups with consistent image quality. The 1 m length and low-smoke, zero-halogen jacket make it suitable for desk and public-area installations.

Cable Displayport 1.4 - Displayport 1.0m Black in short:

- Connects PCs and video sources to high-resolution monitors, supporting up to 7680 x 4320 pixels for detailed images and design work.
- HDR and HBR3 support improves dynamic range and colour fidelity for media and content review.
- MST support lets you daisy-chain compatible monitors for expanded desktop setups.
- Built for durability and signal integrity with gold-plated contacts, tinned copper conductors, and aluminium foil plus braid shielding.
- Note: at the maximum resolution the refresh rate is limited to 30 Hz, so check display needs for motion-sensitive applications.

Product details

This DisplayPort-to-DisplayPort cable has straight male connectors on both ends and a compact 6 mm diameter jacket that keeps desktop runs tidy. It includes HDCP support for protected content and a balanced build that reduces interference, making it a practical choice for meeting rooms, workstations, and signage where reliable high-resolution video is required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

Maximum resolution	7680 x 4320 pixels
Supported video modes	4320p
Connector contacts plating	Gold plated
DisplayPort version	1.4
Cable material	Tinned copper
Maximum refresh rate	30 Hz
HDCP	Yes
Data transfer rate	8.1 Gbit/s
Connector gender	Male
Cable shielding	Aluminium foil + braid
Jacket material	LSZH, TPE
AWG wire size	30AWG
High Dynamic Range (HDR) supported	Yes
Multi-Stream Transport (MST)	Yes
HBR3 support	Yes

Packaging data

Cable diameter	6 mm
Weight	69 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------