



Prokord USB3.1 CM-CM 03

Data sheet

Core Specs

Cable length	1.5 m
Connector 1	USB-C
Connector 2	USB-C
Product colour	Black
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	60 W

Summary

- ✓ USB 3.2 Gen 1 gives 5 Gbit/s transfers for fast file sync
- ✓ Delivers up to 15W charging at 5V and 3A for phones and accessories
- ✓ 1.5m cable length gives flexible reach around desks and hubs
- ✓ LSZH jacket reduces toxic smoke in enclosed office and server areas
- ✓ Nickel plated contacts and reversible USB-C ends for reliable links

Product description

Why choose this USB-C kabel?

Prokord USB-C kabel USB certified (60w) provides reliable 5 Gbit/s data transfer and a robust LSZH jacket for safer use in offices and public installations. The 1.5 m length and nickel-plated, straight USB-C connectors make device connections and file transfers straightforward, while the cable supports basic device charging up to 3A (15W).

USB-C kabel USB certified (60w) in short:

- High-speed USB 3.2 Gen 1 data transfer up to 5 Gbit/s, suitable for external drives and fast file sync.
- 1.5 m round cable gives flexibility for desk and workstation setups.
- Low smoke zero halogen (LSZH) jacket improves safety in confined or public spaces.
- Nickel-plated connector contacts and straight USB-C plugs for reliable connections.
- Note: the cable does not support USB Power Delivery and charging is limited to 3A (15W); it is not intended for high-power laptop charging.

Cable details

The Prokord USB-C kabel USB certified (60w) is a USB-C to USB-C accessory with male-to-male straight connectors. It is designed for data transfer, peripheral connections and charging small devices. With USB 3.2 Gen 1 performance and a 1.5 m length, it fits desktop and mobile workflows. The LSZH jacket reduces smoke and hazardous gases in case of fire, making the cable suitable for installations where safety standards matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Maximum data transfer rate	5 Gbit/s
Max data transfer rate	5000 Mbit/s
Cable length	1.5 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-C
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-C
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery	No
USB Power Delivery up to	60 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating

Power

Input voltage	5 V
Output current (max)	3 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------