



USB 3.0 To Hub 4-Port USB A

Data sheet

Summary

- ✓ Expands one USB-A port into four USB 3.2 Gen 1 Type-A ports, useful for external drives, mice, keyboards, and other peripherals.
- ✓ Supports data transfer rates up to 5 Gbit/s for faster backups and moving large files.
- ✓ Silver aluminium housing and compact footprint make it easy to carry and position on a desk.
- ✓ Built-in USB Type-A cable connects directly to your host. No external power supply included.
- ✓ Note: requires a USB-A host port. Use your own USB-C to USB-A adapter if needed.

Product description

Why choose this USB hub?

Prokord USB 3.0 To Hub 4-Port USB A gives you four extra USB Type-A ports from a single host connection. It speeds up file transfers with USB 3.2 Gen 1 performance, while the slim aluminium body keeps the hub durable and easy to carry between workstations or meetings.

USB 3.0 To Hub 4-Port USB A in short:

- Expands one USB-A port into four USB 3.2 Gen 1 Type-A ports, useful for external drives, mice, keyboards, and other peripherals.
- Supports data transfer rates up to 5 Gbit/s for faster backups and moving large files.
- Silver aluminium housing and compact footprint make it easy to carry and position on a desk.
- Built-in USB Type-A cable connects directly to your host. No external power supply included.
- Note: requires a USB-A host port. Use your own USB-C to USB-A adapter if needed.

Easy port expansion for daily tasks

The Prokord USB 3.0 To Hub 4-Port USB A lets you add multiple peripherals without rearranging your setup. It is suited for tasks like connecting external SSDs for quick transfers, clustering input devices for a laptop workstation, or attaching USB accessories at a shared desk.

Design and performance

The hub uses the GL3520 chipset and supports USB 3.2 Gen 1 speeds, which helps reduce wait time when copying files. The aluminium alloy housing in silver provides a low-profile, sturdy enclosure that also aids heat dispersion during extended use.

Setup and compatibility

Setup is straightforward, just plug the built-in USB Type-A cable into your host port and start using the connected devices. The hub is lightweight and compact, making it convenient for travel or tight workspaces. If your computer only has USB-C ports, plan to use a USB-C to USB-A adapter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Ports & interfaces

Ports quantity	4
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
---	---

Features

Data transfer rate	5000 Mbit/s
Product colour	Silver
Housing material	Aluminum alloy

Packaging data

Quantity per pack	1 pc(s)
Package width	148 mm
Package depth	68 mm
Package height	220 mm

Power

Power consumption (typical)	0.5 W
-----------------------------	-------

Logistics data

Harmonized System (HS) code	84719000
-----------------------------	----------

Weight & dimensions

Width	35 mm
Depth	16 mm
Height	112 mm
Weight	50 g

Other features

Chipset	GL3520
---------	--------

Operational conditions

Maximum operating temperature	40 °C
-------------------------------	-------