

Wall Charger 1xUSB 230V 5V 1.5A BlackBlack, Noir

Data sheet

Summary

- ✓ Compact EU-plug wall charger with one USB 2.0 port, ideal for phones and small accessories.
- ✓ Quick Charge 2.0 support speeds up charging when paired with compatible devices.
- ✓ Wide input range 100–240V, suitable for travel and varied mains supplies.
- ✓ 5V output at 1.5A, appropriate for most smartphones but limited for high-current tablets and some fast-charge standards.
- ✓ Single unit supplied in black finish, ready for indoor use.

Product description

Why choose this wall charger?

Cirafon Wall Charger 1xUSB 230V 5V 1.5A Black is a compact indoor AC charger that gives reliable power for smartphones and small USB devices. It supports Quick Charge 2.0 for faster charging with compatible devices, accepts 100–240V input for international use, and keeps charging simple with a single USB port.

Wall Charger 1xUSB 230V 5V 1.5A Black in short:

- Compact EU-plug wall charger with one USB 2.0 port, ideal for phones and small accessories.
- Quick Charge 2.0 support speeds up charging when paired with compatible devices.
- Wide input range 100–240V, suitable for travel and varied mains supplies.
- 5V output at 1.5A, appropriate for most smartphones but limited for high-current tablets and some fast-charge standards.
- Single unit supplied in black finish, ready for indoor use.

Product details

This Cirafon wall charger provides a straightforward way to charge a single USB device at home, in the office, or while travelling. The Quick Charge 2.0 compatibility helps reduce charge times for supported phones. Because the adapter delivers 5V at up to 1.5A, it is best suited for phones, Bluetooth headsets, and other low- to moderate-power USB devices.

Technical Specification Matrix

Header

Manufacturer	Cirafon
--------------	---------

Performance

Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
USB 2.0 ports quantity	1
Fast charging	Oui, Yes
Fast charging technology	Quick Charge 2.0

Design

Product colour	Black, Noir
----------------	-------------

Power

Input voltage	100 - 240 V
Maximum output voltage	5 V
AC adapter output current	1.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	85044090
-----------------------------	----------