



TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m 10pcsRJ-45 Cat 6 1m White

Data sheet

Summary

- ✓ Pack of ten 1 m patch cables, useful for wiring racks, cabinets, and workstations.
- ✓ Supports up to 10 000 Mbit/s and 250 MHz for fast local connections.
- ✓ LSZH jacket and white finish, suitable for public buildings and managed cabling runs.
- ✓ S/UTP shielding with metal RJ-45 connectors and copper conductors to reduce interference.
- ✓ Suitable for Power over Ethernet, powering devices like IP phones and access points.

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m 10pcs gives you a practical, rack-friendly solution for short patch runs and small deployments. The 1 meter length keeps cable management tidy. The LSZH jacket reduces smoke and toxic gases in enclosed spaces. It supports high data rates and Power over Ethernet, so you can connect switches, cameras, and phones with confidence.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m 10pcs in short:

- Pack of ten 1 m patch cables, useful for wiring racks, cabinets, and workstations.
- Supports up to 10 000 Mbit/s and 250 MHz for fast local connections.
- LSZH jacket and white finish, suitable for public buildings and managed cabling runs.
- S/UTP shielding with metal RJ-45 connectors and copper conductors to reduce interference.
- Suitable for Power over Ethernet, powering devices like IP phones and access points.

Product details

This Prokord cable is a compact Cat 6 patch lead with male RJ-45 connectors on both ends. The copper conductors and 26 AWG wiring provide reliable signal transfer for short links. Shielded construction and metal connector housings help limit electromagnetic interference in crowded cable environments. The low smoke zero halogen jacket improves safety where smoke and corrosive gases are a concern. Supplied as a 10-piece pack, it is convenient for systematic patching and quick deployment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	10 pc(s)
-------------------	----------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------