



Patchcable LSZH 10 pack RJ-45 Cat 6 2m White

Data sheet

Summary

- ✓ Pack of ten 2 m white LSZH Cat 6 patch cables, ideal for patch panels, switches, and wall outlets.
- ✓ S/UTP shielding and metal RJ-45 connectors reduce electromagnetic interference for cleaner signals.
- ✓ Supports up to 10 Gbit/s at 250 MHz and Power over Ethernet, suitable for access-layer and device connections.
- ✓ 26 AWG copper conductors with molded boots for reliable contacts and strain relief.
- ✓ Check cable length needs before ordering; 2 m is best for short patch runs and rack-to-patch-panel links.

Product description

Why choose these patch cables?

Prokord Patchcable LSZH 10 pack gives a practical, cost-effective way to equip racks and work areas with consistent Cat 6 connections. The low smoke zero halogen jacket reduces hazardous fumes in enclosed spaces. Shielded construction and metal RJ-45 plugs cut interference, and the cables support PoE and 10 Gbit/s links for typical short-run network patching.

Patchcable LSZH 10 pack in short:

- Pack of ten 2 m white LSZH Cat 6 patch cables, ideal for patch panels, switches, and wall outlets.
- S/UTP shielding and metal RJ-45 connectors reduce electromagnetic interference for cleaner signals.
- Supports up to 10 Gbit/s at 250 MHz and Power over Ethernet, suitable for access-layer and device connections.
- 26 AWG copper conductors with molded boots for reliable contacts and strain relief.
- Check cable length needs before ordering; 2 m is best for short patch runs and rack-to-patch-panel links.

Usage and compatibility

Patchcable LSZH 10 pack supplies ten male-to-male RJ-45 cables for standard Ethernet patching tasks. They connect network equipment, VoIP phones, access points, and PoE devices while keeping installations neat with a white low-smoke jacket. The Cat 6 rating and copper conductors deliver stable throughput for typical office and data-room environments where low-smoke cabling is preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	10 pc(s)
-------------------	----------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------