




TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m 10pcsRJ-45 Cat 6 2m Blue

Data sheet

Summary

- ✓ Ten 2 m Cat6 U/UTP cables, blue, with male RJ45 connectors for rack patching, desktop connections, and equipment linking.
- ✓ LSZH jacket lowers smoke and halogen output, suitable for public buildings and confined installations.
- ✓ Supports PoE and data rates up to 10,000 Mbit/s at 250 MHz, fitting Gigabit networks and many short 10G use cases.
- ✓ 26 AWG copper conductors and molded boots provide reliable signal transfer and easier handling during installation.
- ✓ Consideration: 2 m length is ideal for patch panels and close connections, but not for long-distance wiring between floors or rooms.

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m 10pcs offers a practical balance of performance and safety for office and data centre patching. The Cat6 construction and 250 MHz frequency support high-speed Ethernet and PoE devices. The LSZH jacket reduces hazardous smoke in enclosed spaces, and the 10-piece pack helps keep spare cables on hand for fast replacements.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m 10pcs in short:

- Ten 2 m Cat6 U/UTP cables, blue, with male RJ45 connectors for rack patching, desktop connections, and equipment linking.
- LSZH jacket lowers smoke and halogen output, suitable for public buildings and confined installations.
- Supports PoE and data rates up to 10,000 Mbit/s at 250 MHz, fitting Gigabit networks and many short 10G use cases.
- 26 AWG copper conductors and molded boots provide reliable signal transfer and easier handling during installation.
- Consideration: 2 m length is ideal for patch panels and close connections, but not for long-distance wiring between floors or rooms.

Usage and features

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m 10pcs is a straightforward patch cable pack for connecting switches, routers, access points, and PoE devices. You get consistent copper conductors and standard RJ45 terminations that plug directly into network ports, so installation is quick and tool-free. The LSZH jacket helps meet safety requirements in areas where smoke and toxic gas must be minimised, and the 10-piece quantity keeps spare cables available to reduce downtime.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male

Product colour	Blue
Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	10 pc(s)
-------------------	----------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------