



TP-Cable S/FTP RJ45 2m 10pcsRJ-45 Cat 6A 1m Green

Data sheet

Summary

- ✓ Cat 6A performance, supporting up to 10 Gbit/s and 500 MHz, suitable for high-speed uplinks and server connections.
- ✓ S/FTP shielding reduces crosstalk and electromagnetic interference, useful near power equipment or in dense cable bundles.
- ✓ Low smoke zero halogen (LSZH) jacket meets safety requirements for indoor and confined spaces.
- ✓ RJ-45 male to male with AWG 26 copper conductors, compatible with switches, patch panels, routers, and PoE devices.
- ✓ Pack of 10 green cables, convenient for batch deployments and color-coded installations.

Product description

Why choose this cable?

Prokord TP-Cable S/FTP RJ45 2m 10pcs provides a practical way to deploy multiple high-performance patch connections quickly. The Cat 6A specification and S/FTP shielding help maintain stable 10 Gbit/s links in dense wiring environments. The LSZH jacket reduces smoke and toxic emissions for indoor use, making these cables a reliable choice for racks, comms rooms, and structured cabling projects.

TP-Cable S/FTP RJ45 2m 10pcs in short:

- Cat 6A performance, supporting up to 10 Gbit/s and 500 MHz, suitable for high-speed uplinks and server connections.
- S/FTP shielding reduces crosstalk and electromagnetic interference, useful near power equipment or in dense cable bundles.
- Low smoke zero halogen (LSZH) jacket meets safety requirements for indoor and confined spaces.
- RJ-45 male to male with AWG 26 copper conductors, compatible with switches, patch panels, routers, and PoE devices.
- Pack of 10 green cables, convenient for batch deployments and color-coded installations.

About this cable

Prokord TP-Cable S/FTP RJ45 2m 10pcs is a set of shielded patch cables intended for short to medium patching tasks in data closets and office networks. The S/FTP construction and copper conductors keep links stable under load and help ensure reliable PoE delivery to connected devices. The green LSZH jacket aids visual identification and meets safety expectations for indoor cabling runs.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	10 pc(s)
-------------------	----------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------