



Cirafon DMA-032

Data sheet

Core Specs

Cable length	2 m
Connector 1	Lightning
Connector 2	USB-A
Product colour	White
USB version	USB 2.0
USB Power Delivery up to	12 W

Summary

- ✓ 2m cable length provides flexible reach for desks and meeting rooms
- ✓ USB-A to Lightning connection charges and syncs Apple devices
- ✓ USB 2.0 at 480Mbit/s enables fast transfers, plug and play
- ✓ Charges up to 5V 2.4A, delivering up to 12W for everyday use
- ✓ TPE jacket enhances flexibility and resists daily wear and kinks

Product description

Why choose this cable?

AM To Lightning 2.0m - White - New Mfi Cirafon is a USB-A to Lightning cable designed for reliable charging and data syncing of Apple devices. It gives you extra reach with a 2 m length, a flexible TPE jacket for everyday handling, and stable plug-and-play performance that reduces the need for adapters and extra cables.

AM To Lightning 2.0m - White - New Mfi in short:

- 2 m length for flexible device placement at desks, meeting rooms, or behind furniture
- Compatible with Apple devices using a Lightning port, with MFi reference in the product name
- Supports charging up to 2.4 A and USB Power Delivery up to 12 W, plus data transfer at 480 Mbit/s
- TPE jacket and straight male connectors for durable, low-friction handling
- Note: USB-A connector requires a USB-A port or an adapter for USB-C only systems

Product details

This cable connects USB-A hosts to Lightning devices for charging and syncing. The 2 m length makes it practical where reach matters, and the TPE jacket helps resist everyday wear. With plug-and-play operation and support for moderate charging and standard USB 2.0 data speeds, it suits desk setups, shared charging stations, and service environments where simple, dependable cabling is needed.

Technical Specification Matrix

Header

Manufacturer	Cirafon
--------------	---------

Features

Cable length	2 m
Connector 1	Lightning
Connector 2	USB-A
Connector 1 gender	Male
Connector 2 gender	Male
USB version	USB 2.0
Product colour	White
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Compatibility	Apple

Maximum data transfer rate	480 Mbit/s
Plug and Play	Yes
Jacket material	TPE

Power

Input voltage	5 V
Input current (max)	2.4 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Technical details

USB Power Delivery up to	12 W
Cable jacket material	TPE

Logistics data

Harmonized System (HS) code	85177900
-----------------------------	----------