



Cirafon DMA-035

Data sheet

Core Specs

Cable length	1 m
Connector 1	Lightning
Connector 2	USB-A
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	12 W

Summary

- ✓ 1m length keeps devices within reach on desks and in meeting rooms
- ✓ USB-A to Lightning, compatible with Apple devices for charging and sync
- ✓ Fast charging and syncing, supports 480Mbit/s data and up to 12W power
- ✓ Durable TPE jacket and straight male connectors, built for daily use
- ✓ Plug and play design, no drivers needed for quick desk setup

Product description

Why choose this cable?

Cirafon AM To Lightning Cable 1.0m - Black - New Mfi is an MFi-certified Lightning to USB-A cable that gives dependable charging and data sync for Apple devices. The 1 meter length fits typical desk and bedside setups. A TPE jacket adds flexibility and abrasion resistance, while plug-and-play compatibility keeps connections simple and reliable.

AM To Lightning Cable 1.0m - Black - New Mfi in short:

- MFi-certified Lightning to USB-A cable for consistent compatibility with Apple devices.
- 1 meter length, suited for desk, bedside, and travel use.
- Supports charging up to 2.4 A and 12 W, with data transfer at USB 2.0 speeds (480 Mbit/s).
- TPE jacket improves flexibility and wear resistance for everyday handling.
- Note: this is USB-A to Lightning. You may need an adapter for USB-C-only chargers.

Main functions

The Cirafon AM To Lightning Cable 1.0m - Black - New Mfi lets you charge and sync iPhone and iPad devices using USB-A power sources or PCs. It provides plug-and-play operation so no drivers or setup are required. The straight male connectors and durable TPE jacket ensure a neat, reliable connection for daily charging and file transfers.

Technical Specification Matrix

Header

Manufacturer	Cirafon
--------------	---------

Features

Cable length	1 m
Connector 1	Lightning
Connector 2	USB-A
Connector 1 gender	Male
Connector 2 gender	Male
USB version	USB 2.0
Connector 1 form factor	Straight
Product colour	Black
Compatibility	Apple
Connector 2 form factor	Straight

Maximum data transfer rate	480 Mbit/s
Plug and Play	Yes
Jacket material	TPE

Power

Input voltage	5 V
Input current (max)	2.4 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Technical details

USB Power Delivery up to	12 W
Cable jacket material	TPE

Logistics data

Harmonized System (HS) code	85177900
-----------------------------	----------