



# Wall Mount Full-Motion Aluminum

Data sheet

## Summary

- ✓ Fits 13" to 27" monitors and accepts VESA patterns from 75 x 75mm to 100 x 100mm, making it suitable for many standard displays.
- ✓ Full-motion adjustment, with 0° to 90° pan and 0° to 45° tilt, so you can position the screen for meetings, shared viewing, or single-user ergonomics.
- ✓ Extends up to 195mm and retracts to 55mm for a low-profile fit when not in use, saving desk and wall space.
- ✓ Supports up to 15kg and includes an integrated hook for basic cable routing to keep the installation tidy.
- ✓ Consider monitor weight and size before purchase; it is not suitable for displays heavier than 15kg or larger than 27".

# Product description

## Why choose this wall mount?

Prokord Wall Mount Full-Motion Aluminum gives you flexible, space-saving monitor placement with secure VESA compatibility and robust aluminum construction. It supports common monitor sizes and weights, lets you fine-tune viewing angle and position, and helps reduce glare and neck strain for clearer, more comfortable work sessions.

## Prokord Wall Mount Full-Motion Aluminum in short:

- Fits 13" to 27" monitors and accepts VESA patterns from 75 x 75mm to 100 x 100mm, making it suitable for many standard displays.
- Full-motion adjustment, with 0° to 90° pan and 0° to 45° tilt, so you can position the screen for meetings, shared viewing, or single-user ergonomics.
- Extends up to 195mm and retracts to 55mm for a low-profile fit when not in use, saving desk and wall space.
- Supports up to 15kg and includes an integrated hook for basic cable routing to keep the installation tidy.
- Consider monitor weight and size before purchase; it is not suitable for displays heavier than 15kg or larger than 27".

## Key functions

The mount provides a stable VESA attachment and a smooth articulating arm that lets you pan, tilt, and extend the screen as needed. Installation follows common VESA standards, so fitting most monitors is straightforward. The aluminum construction gives a sturdy feel while keeping the unit compact. Use it to improve ergonomics in offices, meeting rooms, hot-desking areas, or home workspaces, and to keep cables neater with the built-in routing hook.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Mounting

|                               |              |
|-------------------------------|--------------|
| Minimum screen size           | 13 "         |
| Maximum weight capacity       | 15 kg        |
| Maximum screen size           | 27 "         |
| Mounting type                 | Wall         |
| Minimum VESA mount            | 75 x 75 mm   |
| Maximum VESA mount            | 100 x 100 mm |
| Suitable for computer monitor | Yes          |

## Ergonomics

|                  |          |
|------------------|----------|
| Tilt adjustment  | Yes      |
| Tilt angle range | 0 - 45 ° |
| Pan range        | 0 - 90 ° |

Design

|                  |           |
|------------------|-----------|
| Product colour   | Black     |
| Housing material | Aluminium |

Weight & dimensions

|             |        |
|-------------|--------|
| Width       | 100 mm |
| Depth (min) | 55 mm  |
| Depth (max) | 195 mm |
| Height      | 154 mm |

Logistics data

|                             |          |
|-----------------------------|----------|
| Harmonized System (HS) code | 85299097 |
|-----------------------------|----------|