



Prokord S/FTP-0055

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ Cat6A S/FTP shielding delivers stable 10G performance up to 500MHz
- ✓ Short 0.3m length keeps racks tidy and simplifies patching in tight spaces
- ✓ LSZH jacket reduces smoke and toxic gases for safer indoor deployments
- ✓ RJ45 to RJ45 with copper 26AWG conductors supports PoE for powered devices
- ✓ White finish blends into office environments for neat cable runs

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP provides a compact, shielded connection for high-frequency network links and PoE devices. Its Cat 6A construction and S/FTP shielding reduce interference for stable 10 Gbps transfers, while the LSZH jacket improves safety in indoor environments. The 0.3 m length keeps cable runs tidy and simplifies connections between closely mounted equipment.

Prokord TP-Cable S/FTP in short:

- Shielded Cat6A cable that limits electromagnetic interference for reliable high-speed links.
- 0.3 m patch length, ideal for short connections between switches, patch panels, and PoE devices in racks or tight spaces.
- LSZH jacket reduces smoke and toxic gases, suited to indoor installations where safety is important.
- RJ-45 male connectors and copper conductors support PoE and high-frequency transmission up to 500 MHz.
- Consideration: the short length is not suitable for longer runs or outdoor use.

Practical use and compatibility

This cable connects equipment with RJ-45 ports using copper conductors and S/FTP shielding to maintain signal integrity in noisy environments. It supports Power over Ethernet so you can power cameras, phones, and access points without separate power lines. The compact 0.3 m length and flexible 26 AWG construction make it easy to manage inside racks and enclosures, keeping installations neat and functional.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------