



Prokord S/FTP-0060

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Delivers 10 Gbit/s and 500 MHz bandwidth for stable high-speed links
- ✓ S/FTP shielding and shielded RJ-45 plugs reduce interference and crosstalk
- ✓ LSZH jacket limits smoke and emissions, improving on-site safety
- ✓ Supports PoE so cameras and access points get power over the cable
- ✓ Durable plug ends and 5m length simplify installs and cable routing

Product description

Why choose this TP cable?

Prokord TP-Cable S/FTP delivers Cat 6A performance for short-run network links, combining S/FTP shielding and a 5m LSZH jacket to reduce interference and meet safety requirements. It supports PoE and 10 Gbit/s throughput at up to 500 MHz, making it suitable for office and data communication installations where clean, power-capable connections are needed.

TP-Cable S/FTP in short:

- Shielded Cat 6A cable for reliable 10 Gbit/s links, suitable for switch-to-switch and switch-to-server connections.
- S/FTP construction with overall braid and individual foil shields reduces EMI in electrically noisy environments.
- White LSZH jacket minimizes smoke and toxic gases for safer indoor installations.
- Dual male RJ-45 connectors provide plug-and-play connections for switches, patch panels, access points, and VoIP phones.
- Note: the 5m length is ideal for short runs, consider longer cables for extended layouts.

TP-Cable S/FTP details

The Prokord TP-Cable S/FTP features male RJ-45 plugs on both ends for straightforward installation and reliable contact. Its shielded design maintains signal integrity where interference is present, and the LSZH outer jacket helps meet safety and building requirements. The cable supports Power over Ethernet, so you can power compatible devices directly through the link while keeping a tidy, low-visibility white finish for office environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------