



Prokord S/FTP-0062

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated for 10Gbps and 500MHz, supports high bandwidth links
- ✓ S/FTP shielding reduces EMI, keeps signals stable in dense setups
- ✓ LSZH jacket limits smoke and halogen risks in shared areas
- ✓ Supports PoE to power cameras, phones and APs over a 10m run
- ✓ 26AWG copper conductors with shielded RJ45 plugs for durable links

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a Cat 6A network cable built for consistent 10 Gbit/s performance in demanding indoor environments. It combines S/FTP shielding to reduce interference, an LSZH jacket for safer indoor use, and PoE compatibility to power devices while carrying high-speed data. The result is reliable connectivity with a clean installation appearance.

Prokord TP-Cable S/FTP in short:

- Cat 6A, 10 m cable designed for high-speed links such as switch-to-switch, server connections, and high-performance workstations.
- S/FTP shielding and metal RJ-45 housings lower electromagnetic interference, useful in dense cabling or near electrical equipment.
- LSZH jacket and white finish suit offices, data centers, and other indoor spaces where low smoke is important.
- Supports Power over Ethernet, suitable for access points, VoIP phones, and PoE cameras.
- Not intended for outdoor use without additional weatherproofing; professional termination may improve long-term performance.

Prokord TP-Cable S/FTP

This cable uses 26 AWG copper conductors and shielded RJ-45 male connectors for stable signal transfer and reliable physical connections. The molded boots and metal connector shells help protect terminations during routing and installation. Packaged as a single 10 m white cable, it offers a practical, safety-conscious option for structured cabling where interference reduction and PoE support are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------