



Prokord S/FTP-0063

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Supports 10Gbps over Cat6A, enabling high-speed backbone links
- ✓ S/FTP shielding reduces interference for stable, consistent performance
- ✓ LSZH jacket limits toxic fumes, improving safety for indoor use
- ✓ PoE capable, powers cameras and access points without extra cabling
- ✓ 15m length and rugged RJ-45 plugs simplify neat, reliable installs

Product description

Why choose this cable?

Prokord TP-Cable S/FTP is a Cat 6A network cable built for stable, high-speed links. It supports 10 Gbit/s at 500 MHz and includes S/FTP shielding to reduce interference. The LSZH jacket adds safety for indoor installations while PoE capability lets you power devices over the same run. The 15 m length suits longer patching and equipment-to-switch connections.

Prokord TP-Cable S/FTP in short:

- Cat 6A S/FTP design for reliable 10 Gbit/s connections in crowded cable environments.
- RJ-45 male-to-male connectors with metal shielding and molded strain relief for secure, low-loss terminations.
- LSZH jacket for reduced smoke and toxic gases in indoor use.
- Supports Power over Ethernet, suitable for access points, IP phones, and cameras.
- Not recommended for outdoor or direct-burial installations.

Prokord TP-Cable S/FTP

This 15 m Prokord TP-Cable S/FTP connects switches, patch panels, servers, and PoE devices while limiting crosstalk and external interference. Copper 26 AWG conductors deliver consistent signal quality over longer runs, and the reinforced connectors make repeated moves and reterminations easier. Choose this cable when you need a safe, straightforward solution for office, data center, or equipment-rack cabling.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------