



Prokord S/FTP-0068

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated, 10 Gbit/s at 500 MHz for reliable high-speed links
- ✓ S/FTP shielding minimizes crosstalk and external electromagnetic noise
- ✓ Supports PoE, powers devices over cable without extra power lines
- ✓ LSZH jacket in orange enhances safety and simplifies cable ID
- ✓ 2m length and copper 26 AWG conductors suit short runs and racks

Product description

Why choose this cable?

Prokord TP-Cable S/FTP delivers stable, high-speed connections for short-run indoor networks by combining Cat 6A performance with S/FTP shielding to minimise interference. Its LSZH jacket improves safety in confined spaces, while copper conductors and PoE support keep powered devices reliably connected. The 2 m length and bright orange colour make routing and identification straightforward.

Prokord TP-Cable S/FTP in short:

- Supports 10,000 Mbit/s and PoE, suitable for connecting access points, VoIP phones, and network cameras.
- S/FTP shielding and 26 AWG copper conductors reduce crosstalk in dense rack and patch environments.
- LSZH jacket in orange enhances safety and makes the cable easy to identify during installs.
- 2 m length is ideal for tidy connections between switches, patch panels, and mounted equipment.
- Consideration: designed for short indoor runs, not for outdoor use without environmental protection.

Product details

Prokord TP-Cable S/FTP features RJ-45 male connectors at both ends with metal shielding for secure terminations. The full S/FTP construction maintains signal integrity in electrically noisy environments, while the LSZH jacket lowers hazardous smoke if a fire occurs. The cable supports data and power over the same line, making it practical for PoE deployments where compact, reliable links are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Orange
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------