



Prokord S/FTP-0069

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Delivers 10Gbps throughput at 500MHz for fast network links
- ✓ S/FTP shielding reduces crosstalk and EMI for stable connections
- ✓ 26 AWG copper conductors support PoE and deliver clear signals
- ✓ LSZH jacket and vivid orange colour improve safety and visibility
- ✓ 3m length with male RJ-45 plugs suits typical rack to desk runs

Product description

Why choose this ethernet cable?

Prokord TP-Cable S/FTP is a Cat6A ethernet cable that delivers reliable 10 Gbit/s performance for short links while reducing interference with S/FTP shielding. It supports Power over Ethernet, has 26 AWG copper conductors for efficient signal and power delivery, and comes in a 3 m low smoke zero halogen (LSZH) orange jacket for safer, easy-to-find installations.

Prokord TP-Cable S/FTP in short:

- Cat6A performance, suitable for 10 Gbit/s links and uplinks in office and server environments.
- S/FTP shielding and shielded RJ-45 plugs reduce crosstalk and electromagnetic interference.
- LSZH orange jacket improves fire safety and makes the cable easy to identify in racks and trays.
- Supports PoE for devices like access points, IP cameras, and VoIP phones.
- Fixed 3 m length, verify run requirements before ordering.

Product details

Prokord TP-Cable S/FTP is designed for reliable short-run connections between switches, patch panels, and endpoints. The cable uses copper conductors and shielded RJ-45 terminations to maintain signal integrity in environments with multiple cable runs or nearby electrical equipment. The LSZH jacket and bright orange colour help meet safety standards and simplify cable management during installation.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Orange
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------