



Prokord S/FTP-0073

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s Cat6A cable, supports 500MHz for high bandwidth links
- ✓ S/FTP shielding reduces EMI, keeps connections stable in busy racks
- ✓ LSZH jacket improves safety in confined spaces, ideal for offices
- ✓ Dual male RJ-45 plugs, 15m length fits flexible PoE deployments
- ✓ Copper 26AWG conductors deliver consistent transmission and durability

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a Cat6A Ethernet cable built for stable, high-speed indoor networks. It supports 10 000 Mbit/s at 500 MHz and uses S/FTP shielding to reduce interference for dependable links. The 15 m length and bright orange LSZH jacket make routing and identification easier while supporting Power over Ethernet for connected devices.

Prokord TP-Cable S/FTP in short:

- Cat6A cable delivering 10 000 Mbit/s and 500 MHz, suitable for uplinks, server connections, and high-throughput links.
- S/FTP shielding and copper conductors reduce crosstalk and electromagnetic interference for consistent performance.
- Supports Power over Ethernet, enabling single-cable data and power to cameras, access points, and VoIP phones.
- 15 m length, male RJ-45 to male RJ-45, 26 AWG conductors, and a low smoke zero halogen jacket for safer indoor installs.
- Consideration: designed for indoor environments and not for outdoor or heavily exposed installations.

Product details

The Prokord TP-Cable S/FTP is a ready-to-use patch cable with shielded RJ-45 plugs that plug directly into switches, patch panels, and network devices. Its Cat6A specification and S/FTP construction help maintain link quality in environments with multiple cables and equipment. The LSZH jacket reduces hazardous smoke in case of fire and the orange colour simplifies cabinet and floor-box management. The cable is supplied as a single 15 m unit for installation flexibility.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male

Product colour	Orange
Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------