



Prokord S/FTP-0083

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Cat6A S/FTP cable delivers 10 Gbps at 500 MHz for fast, stable links
- ✓ S/FTP shielding reduces crosstalk and preserves data integrity
- ✓ Shielded RJ45 plugs and 26 AWG copper ensure reliable terminations
- ✓ LSZH jacket lowers toxic smoke risk, suitable for indoor installations
- ✓ 15 m red cable simplifies identification while supporting PoE devices

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP pairs Cat 6A performance with full pair shielding to deliver stable 10 Gbit/s connectivity at up to 500 MHz. The 15 m copper cable uses a low smoke zero halogen jacket for safer indoor use and supports Power over Ethernet, giving you a reliable, compliant option for structured cabling, racks and PoE device installations.

TP-Cable S/FTP in short:

- Cat 6A S/FTP construction reduces electromagnetic interference, keeping high-density links stable.
- LSZH jacket improves safety in enclosed spaces and simplifies compliance with building requirements.
- Supports PoE, so you can power IP cameras, access points and VoIP phones over the same cable.
- 15 m length with male RJ-45 connectors makes patching between switches and devices straightforward.
- Consideration: designed for indoor use, so plan additional weatherproofing for outdoor runs; the shielding makes it less flexible than unshielded cables.

TP-Cable S/FTP

This cable connects switches, patch panels and networked devices while prioritizing signal integrity and safety. Metal-shielded RJ-45 plugs and 26 AWG copper conductors maintain consistent throughput over longer runs. The S/FTP shielding and robust LSZH jacket suit data centers, server rooms and institutional cabling where interference control and low smoke behaviour matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------