

Prokord S/FTP-0089

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ 10 Gbps Cat6A performance, supports PoE for powered devices
- ✓ 500 MHz bandwidth maintains consistent high-frequency throughput
- ✓ S/FTP shielding reduces crosstalk and EMI for stable links
- ✓ LSZH jacket improves safety in confined spaces and racks
- ✓ 3m green RJ-45 to RJ-45 patch, 26 AWG copper conductors

Product description

Why choose this cable?

Prokord TP-Cable S/FTP provides reliable Cat 6A performance for 10 Gbit/s networks while supporting Power over Ethernet. Its S/FTP shielding reduces electromagnetic interference to keep connections stable, and the LSZH jacket lowers smoke and halogen risk in enclosed spaces. The 3 m length and copper conductors make it easy to connect equipment in racks, wall outlets, and desks.

TP-Cable S/FTP in short:

- Cat 6A cable for reliable 10 Gbit/s links at up to 500 MHz.
- S/FTP shielding and metal-backed RJ-45 connectors reduce crosstalk and EMI in dense installations.
- Supports Power over Ethernet, suitable for access points, VoIP phones, and PoE cameras.
- LSZH jacket and 26 AWG copper conductors provide safer, consistent indoor performance.
- 3 m length and green jacket simplify routing and identification; not intended for outdoor use.

TP-Cable S/FTP

This cable has male RJ-45 connectors on both ends for straightforward plug-and-play installation. The foil-and-braid shielding combined with copper conductors preserves signal integrity in environments with many cables. At 3 m it is practical for patching between equipment in racks, at desks, and through wall outlets. The green LSZH jacket helps you keep cables identifiable while reducing smoke and toxic gases in the event of a fire.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------