



Prokord S/FTP-0091

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Cat 6A S/FTP shielding gives 10 Gbit/s links and reduces EMI
- ✓ LSZH jacket lowers smoke and toxic gases for indoor safety
- ✓ 7 m green length simplifies patching and visual cable ID
- ✓ PoE support powers APs, VoIP phones and cameras, cuts extra wiring
- ✓ Shielded RJ-45 plugs and 26 AWG copper ensure reliable terminations

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a Cat 6A network cable that delivers reliable 10 Gbit/s links while reducing susceptibility to electromagnetic interference. It pairs full S/FTP shielding with a low smoke zero halogen jacket for safer indoor installations and supports Power over Ethernet so you can connect and power devices without extra wiring.

TP-Cable S/FTP in short:

- Cat 6A S/FTP design, suitable for 10 Gbit/s connections in electrically noisy environments.
- Low smoke zero halogen jacket, useful for offices, comms rooms, and public buildings.
- 7 m green cable for clear routing and identification in patching setups.
- Supports Power over Ethernet, simplifying deployment of access points, VoIP phones, and cameras.
- Shielded RJ-45 male connectors and flexible 26 AWG copper conductors for dependable handling; note the fixed length may limit some layouts.

TP-Cable S/FTP details

The Prokord TP-Cable S/FTP connects switches, patch panels, servers, and networked devices while minimising crosstalk and external interference thanks to full foil and braid shielding. The 26 AWG copper conductors balance flexibility and signal integrity for indoor routing, and the metal-shielded RJ-45 plugs provide reliable terminations during frequent moves or repatching. With PoE support you can power compatible devices over the same cable, reducing installation time and cabling complexity. The LSZH jacket reduces smoke and toxic emissions in a fire, making the cable suitable for many regulated indoor environments; it is intended for indoor use and the 7 m fixed length should be checked against your rack and patching layout before purchase.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------