



Prokord S/FTP-0093

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated, supports up to 10,000 Mbit/s for high-bandwidth links
- ✓ S/FTP shielding minimizes crosstalk and interference in noisy racks
- ✓ LSZH jacket and 15m length offer safer, flexible in-room installation
- ✓ RJ-45 plugs and 26 AWG copper conductors support reliable PoE
- ✓ Green cable color helps with quick identification and neat routing

Product description

Why choose this cable?

Prokord TP-Cable S/FTP delivers reliable Cat 6A performance for high-speed links, while S/FTP shielding helps reduce interference in dense network environments. It supports Power over Ethernet and comes with an LSZH jacket for safer indoor installations, giving you dependable connectivity with straightforward deployment and reduced risk of signal disruption.

TP-Cable S/FTP in short:

- Suitable for high-speed links up to 10 Gbit/s and applications that require PoE support.
- S/FTP shielding and copper conductors reduce electromagnetic interference in cabling bundles and noisy environments.
- 15 m length with male RJ-45 connectors on both ends, ideal for switch-to-switch or switch-to-device connections.
- Low smoke zero halogen jacket improves safety in confined or public indoor spaces.
- Not intended for outdoor routing or environments with prolonged exposure to weather.

Product details

The cable connects network equipment using standard RJ-45 terminations and is designed for indoor use where shielded performance and PoE are required. The metal-shielded RJ-45 plugs and matching strain relief boots visible on the cable help maintain a secure connection and protect the terminations during installation. Use it to link switches, patch panels, PoE cameras, and other powered devices where consistent high-speed transmission and reduced interference matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------