



Prokord S/FTP-0094

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Supports 10 Gbit/s at 500 MHz for high bandwidth network links
- ✓ S/FTP shielding reduces EMI, keeps connections stable in noisy environments
- ✓ PoE compatible, powers cameras and access points over the same cable
- ✓ LSZH jacket reduces smoke and halogen risks, suited to indoor installs
- ✓ 20m length, 26 AWG copper and shielded RJ45 plugs for reliable runs

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a 20m Cat6A Ethernet cable that supports 10000Mbit/s and PoE, providing both high throughput and power delivery over a single run. Its S/FTP shielding and copper conductors reduce interference for stable links in wiring closets and dense racks. The green LSZH jacket lowers toxic smoke risk and aids cable identification for indoor installations.

Prokord TP-Cable S/FTP in short:

- Delivers 10 Gbit/s performance for switch uplinks, servers, and high-throughput workstations.
- S/FTP shielding and metal RJ-45 connectors reduce electromagnetic interference in crowded cable environments.
- Green LSZH jacket improves safety and makes identification easier in cable bundles.
- PoE support lets you power devices such as IP cameras, access points, and VoIP phones.
- Not intended for outdoor use without additional protection.

Practical details

This cable has male RJ-45 connectors on both ends with shielded metal housings and molded strain relief for secure connections and ease of handling. The 20m length suits typical office and data room runs while 26 AWG copper conductors balance flexibility and signal integrity. Use it for indoor horizontal cabling, patching between switches and racks, and PoE deployments where safety and interference resistance are priorities.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------