



Prokord S/FTP-0097

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6A S/FTP cable supports 10 Gbit/s at 500 MHz for stable links
- ✓ S/FTP shielding with 26 AWG copper reduces interference and errors
- ✓ Low smoke zero halogen jacket improves safety in shared spaces
- ✓ 1m yellow cable and molded RJ-45 plugs simplify identification
- ✓ Supports Power over Ethernet, enabling data and power on one cable

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a high-performance Cat6A network cable that delivers reliable 10,000 Mbit/s connections with S/FTP shielding and a LSZH jacket for safety in enclosed spaces. It supports Power over Ethernet and features shielded RJ-45 plugs and a bright yellow jacket for easy identification during installations.

TP-Cable S/FTP in short:

- Cat6A S/FTP design for stable 10 Gbit/s links at 500 MHz, suitable for switch-to-server and uplink connections.
- LSZH jacket reduces smoke and toxic gases, appropriate for comms rooms and public buildings.
- Shielded, metal RJ-45 male connectors with molded strain relief for a secure fit and reliable contact.
- Supports Power over Ethernet, useful for access points, IP cameras, and VoIP phones.
- The 1 m length is ideal for patching but may not suit longer cable runs.

Prokord TP-Cable S/FTP

This 1 m cable is intended for short patch connections between switches, patch panels and active equipment. The S/FTP shielding reduces electromagnetic interference, helping you maintain throughput in congested cabling environments. Copper conductors and metal-shielded RJ-45 plugs provide consistent signal quality and a secure connection. The low smoke zero halogen jacket improves safety in confined spaces, and the yellow colour makes cables easy to identify during installation and maintenance.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------