



Prokord S/FTP-0104

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ 10Gbps, 500MHz performance keeps large transfers fast and reliable
- ✓ S/FTP shielding and copper conductor reduce interference and packet loss
- ✓ LSZH jacket enhances safety and durability in indoor installs
- ✓ Supports PoE to power devices without separate power cabling
- ✓ 20m length and RJ45 male connectors enable tidy, long runs

Product description

Why choose this Ethernet cable?

Prokord TP-Cable S/FTP delivers Cat 6A performance for stable, high-speed links in professional networks. Its S/FTP shielding and copper conductors reduce interference and support Power over Ethernet, while the LSZH jacket improves safety in enclosed spaces. The 20 m length keeps installations tidy and lowers the need for extra couplers or intermediate patching.

TP-Cable S/FTP in short:

- Cat 6A cable designed for up to 10 Gbit/s and 500 MHz, suitable for switches, servers, and backbone patching.
- S/FTP shielding with individually screened pairs, useful in interference-prone environments such as server rooms and dense cabling runs.
- LSZH jacket for reduced smoke and halogen exposure, appropriate for indoor installations in offices and data centers.
- 20 m length with shielded male RJ-45 connectors and visible yellow jacket for easy identification and cable management.
- Consideration: not intended for outdoor use without additional protection.

TP-Cable S/FTP details

The Prokord TP-Cable S/FTP connects standard RJ-45 devices while keeping signal integrity under load. Shielded plugs and a braided overall shield cut down electromagnetic interference, which helps maintain throughput for PoE-powered devices. The molded strain relief and durable LSZH jacket make it practical for structured cabling runs, and the 20 m length is convenient for linking racks, workstations, and intermediate network points.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------