



Prokord S/FTP-0110

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ 10Gbps Cat6A cable supports high-speed data and 500MHz bandwidth
- ✓ S/FTP shielding reduces crosstalk and EMI for stable links
- ✓ LSZH jacket limits toxic smoke, ideal for indoor and risers
- ✓ Shielded RJ45 plugs and 26AWG copper deliver secure PoE links
- ✓ 5m length fits office runs while keeping cable management tidy

Product description

Why choose this Ethernet cable?

Prokord TP-Cable S/FTP delivers reliable 10 Gbit/s connectivity with effective protection against interference, helping you keep networks stable and predictable. The Cat6A standard and S/FTP shielding support high-bandwidth links while the LSZH jacket meets safety needs for indoor installations. With PoE capability and male RJ-45 connectors at both ends, it simplifies installation of switches, access points, and other powered devices.

TP-Cable S/FTP in short:

- Supports 10,000 Mbit/s and up to 500 MHz, suitable for high-bandwidth links and uplinks.
- S/FTP shielding reduces crosstalk and external interference, useful near power feeds or dense cable runs.
- LSZH jacket improves safety in enclosed areas like telecom rooms, meeting spaces, and public buildings.
- 5 m length with male RJ-45 plugs, ready for patching between wall outlets, patch panels, and switches.
- Consideration: not intended for outdoor use without additional protection, and longer distances may require extra cabling.

Product details

Prokord TP-Cable S/FTP uses 26 AWG copper conductors and full foil-plus-braid shielding to maintain signal integrity in demanding environments. The shielded RJ-45 plugs and sturdy LSZH jacket make the cable easy to route and safe to use in areas with strict fire regulations. Because it supports Power over Ethernet, you can power access points, IP cameras, and VoIP phones directly over the cable, reducing the need for separate power wiring.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------