



Prokord S/FTP-0112

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Delivers 10 Gbit/s and 500 MHz performance for high-speed networks.
- ✓ S/FTP shielding reduces crosstalk and EMI, keeping links reliable.
- ✓ LSZH jacket lowers toxic smoke risk, ideal for office installations.
- ✓ Built with 26 AWG copper conductors, it supports stable PoE delivery.
- ✓ 10m length and shielded RJ-45 plugs make installation flexible.

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a Cat 6A shielded patch cable designed to deliver reliable high-speed connections while keeping installation simple. It helps reduce interference in congested cabling environments, supports PoE for connected devices, and uses an LSZH jacket for safer use in offices and public buildings, offering a balance of performance and practical safety.

TP-Cable S/FTP in short:

- Cat 6A S/FTP construction, ideal for 10GBASE-T and high-density network runs where interference can affect performance.
- Supports up to 10000Mbit/s and 500MHz, suitable for server room links, switches, and uplinks.
- RJ-45 male to male connectors for straightforward plug-and-play connections between network equipment.
- LSZH grey jacket reduces smoke and toxic fumes in case of fire, useful for indoor and commercial installations.
- 10 m length and sold as 1 piece, check routing needs before purchase.

Prokord TP-Cable S/FTP details

This Prokord cable pairs copper conductors with S/FTP shielding to maintain signal integrity in environments with electrical noise. The cable supports Power over Ethernet, so you can power access points, IP phones, and cameras without a separate power feed. The molded RJ-45 connectors provide an easy, secure fit into standard ports and the LSZH jacket meets stricter safety requirements for indoor use. The 10 m length covers common desk-to-switch and equipment-to-rack distances while keeping cable management straightforward.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------