



Prokord S/FTP-0113

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Delivers 10 Gbit/s at 500 MHz for reliable high bandwidth links
- ✓ S/FTP shielding reduces EMI, keeps signals stable in dense racks
- ✓ LSZH jacket lowers smoke and halogen risk in confined spaces
- ✓ 15m with RJ45 plugs and copper 26 AWG conductors, supports PoE

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP is a 15 m Cat6A Ethernet cable that delivers up to 10000 Mbit/s at 500 MHz and supports Power over Ethernet. Its S/FTP shielding and 26 AWG copper conductors help maintain stable connections in offices and equipment racks. The low smoke zero halogen jacket reduces hazardous emissions in confined spaces, improving safety and simplifying compliance.

TP-Cable S/FTP in short:

- 15 m Cat6A patch cable with RJ-45 male connectors for reliable 10 Gbit/s links in office and rack environments.
- S/FTP shielding minimises electromagnetic interference, useful near power equipment and dense cabling.
- LSZH jacket lowers smoke and corrosive gas emissions, suitable for enclosed installations and safety-conscious sites.
- Supports PoE, so you can power compatible devices without separate power lines.
- Consideration: not intended for long outdoor runs or ultra-high frequency applications beyond 500 MHz.

Product details

Prokord TP-Cable S/FTP combines S/FTP shielding with copper conductors in a 26 AWG configuration to preserve signal quality across its 15 m length. The cable is fitted with RJ-45 male connectors at both ends for straightforward plug-and-play use in patch panels and switches. Its design supports modern network demands while the grey LSZH jacket helps protect people and equipment in confined or public spaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------