



Prokord S/FTP-0114

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Cat 6A cable supports 10 Gbit/s and 500 MHz for fast, stable links
- ✓ S/FTP shielding and copper conductors reduce crosstalk and noise
- ✓ Plated RJ-45 male connectors provide reliable, tool-free patching
- ✓ LSZH jacket lowers smoke and halogen emissions, for safer indoor use
- ✓ 20 m length suits short backbone and patch runs, supports PoE devices

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP delivers fast, secure network connectivity in a 20 m Cat 6A cable. Its S/FTP shielding and copper conductors reduce interference and support stable 10 Gbps links with Power over Ethernet for devices like access points and IP cameras. The LSZH jacket lowers smoke and toxic emissions, helping you meet safety requirements in indoor installations.

Prokord TP-Cable S/FTP in short:

- Cat 6A, 20 m cable for short backbone and patch runs, supporting high-speed office and data center connections
- S/FTP shielding limits crosstalk and external interference for consistent performance
- LSZH jacket reduces smoke and halogen emissions for safer enclosed installations
- RJ-45 male connectors at both ends and PoE compatibility, so you can power devices without extra cabling
- Consider: designed for indoor use, not recommended for outdoor installations

Prokord TP-Cable S/FTP

Prokord TP-Cable S/FTP is a ready-to-use Ethernet lead with RJ-45 male connectors at each end, suited for patching switches, patch panels and network equipment. The cable's S/FTP construction and copper conductors maintain signal integrity over demanding short runs, while PoE compatibility lets you power cameras, phones and wireless access points without separate power wiring. Its grey LSZH jacket supports safer installations in commercial buildings and technical rooms.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6A
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------